

ULUSLARARASI-YAYINLAR

110- Güven C, Dal F, Aydođan Ahabab M, Taskin E, Ahabab S, Adin Çinar S, Sırma Ekmekçi S, Güleç Ç, Abacı N, Akçakaya H. Low dose monoethyl phthalate (MEP) exposure triggers proliferation by activating PDX-1 at 1.1B4 human pancreatic beta cells. Food and chemical toxicology. 93:41-50 (2016).

109-Guven C, Taskin E, Akcakaya H. Melatonin Prevents Mitochondrial Damage Induced by Doxorubicin in Mouse Fibroblasts Through Ampk-Ppar Gamma-Dependent Mechanisms Medical Science Monitor. 10(22): 438-46 (2016).

108-Akçakaya H, Tok S, Dal F, Cinar SA, Nurten R.
β-carotene treatment alters the cellular death process in oxidative stress-induced K562 cells Cell Biology Internatiol. 41(3): 309-319 (2017).

107-Yalcintepe L, Halis E. Modulation of iron metabolism by iron chelation regulates intracellular calcium and increases sensitivity to doxorubicin. Bosn J Basic Med Sci.1;16(1):14-20 (2016).

106-Yalçintepe L, Halis E, Ulku S.
Effect of CD38 on the multidrug resistance of human chronic myelogenous leukemia K562 cells to doxorubicin. Oncol Lett. 11(3):2290-2296 (2016).

105- Haciosmanođlu E, Varol B, Edis BÖ, Bektaş M.
Interleukin-1β effect on the endogenous ADP-ribosylation and phosphorylation of eukaryotic elongation factor 2. Cytotechnology. 68(6):2659-2666 (2016).

104-Varol B, Tuna EB, Karslı E, Kasımođlu Y, Seymen F, Nurten R.
Evaluation of cytotoxicity and gelatinases activity in 3T3 fibroblast cell by root repair materials, Biotechnology & Biotechnological Equipment 30(5): 984-990 (2016).

- **103-** Bal T, Congur G, Erdem A, Kuruca S, Özdemir N, Akgün K, Varol B, Ülküseven B. Iron(III) and Nickel(II) complexes as potential anticancer agents: Synthesis, physicochemical and structural properties, cytotoxic activity and DNA interactions. *New Journal of Chemistry*. DOI: 10.1039/C5NJ00594A.
- **102-** Türker-Şener L, Albeniz I. Challenge of Mesenchymal Stem Cells Against Diabetic Foot Ulcer. *Current Stem Cell Research & Therapy*. 2015 May 18.
- **101-** Yalçintepe L, Altınel P, Albeniz I, Yılmaz A, Nurten R. Characterization of Lin-ALDH bright population using Ehrlich ascites tumor cells in mice. *Tumor Biology*. [35\(10\):10363-73](#) (2014).
- **100-** Akcakaya H, Dal F, Tok S, Cınar SA, Nurten R. K562 cells display different vulnerability to H₂O₂ induced oxidative stress in differing cell cycle phases. *Cell Biol Int*. [39\(2\): 201-9](#) (2014).
- **99-** Bahçekapılı N, Akgün-Dar K, **Albeniz I**, Kapucu A, Kandil A, Yağız O, Uzüm G: Erythropoietin pretreatment suppresses seizures and prevents the increase in inflammatory mediators during pentylene tetrazole induced generalized seizures. *Int J Neurosci*. [124\(10\):762-70](#) (2014).
- **98-** Varol B, Coşkun O, Karabulut S, Serin KR, Asoğlu O, Albeniz I, Taş F, Nurten R.: Clinical significance of serum ADP-ribosylation and NAD glycohydrolase activity in patients with colorectal cancer. *Tumor Biology*. [35\(6\):5575-82](#) (2014).
- **97-** **Başak Varol, Bilge Özerman Edis, Muhammet Bektaş.: Corynebacterium diphtheriae and Related Toxigenic Species. Chapter 5. Springer (Ed. A. Burkovski). pp 83-94 (2014).**
- **96-** Coşkun Ö, Nurten R.: Purification of NAD⁺ glycohydrolase from human serum. *Oncology letters* [.6: 227-231](#) (2013).
- **95-** Ünlü A, Bektaş M, Sener S, Nurten R.: The interaction between actin and FA fragment of diphtheria toxin. *Mol Biol Rep*. [40: 3135-3145](#) (2013).
- **94-** Kuran M.S., Tugcu T. and Özerman Edis B.: Calcium Signaling: Overview and Research Directions of a Molecular Communication Paradigm. *IEEE Wireless Communications* [19\(5\): 2-9](#) (2012).
- **93-** Gelincik A, Aydın F, Ozerman B, Ergüven M, Aydın S, Bilir A, Genç S, Eroğlu H, Colakoğlu B, Erden S, Büyüköztürk S.: Enhanced nerve growth factor expression by mast cells does not differ significantly between idiopathic and allergic rhinitis. *Ann Allergy Asthma Immunol*. [108\(6\):396-401](#) (2012).
- **92-** Varol B, Bektaş M, Nurten R, Bermek E.: The cytotoxic effect of diphtheria toxin on actin cytoskeleton. *Cell Mol Biol Lett* [17\(1\): 49-61](#) (2012).
- **91-** Albeniz I, Türker-Şener L, Baş A, Kalelioğlu İ, Nurten, R.: Isolation of Hematopoietic Stem Cells and CD38 expression on the early erythroid progenitor cell development process. *Oncology letters* [3: 55-60](#) (2012).
- **90-** Albeniz I, Demir-Coşkun Ö, Türker-Şener L, Baş A, Asoğlu O, Nurten R.: CD38 Expression as Response of Hematopoietic System to Cancer. *Oncology letters* [2\(4\):659-64](#)(2011).
- **89-** Cefle K Tamer S. Albeniz I, Kaymaz AA.: Alteration in lymphocyte membrane protein content and increased lymphocyte rigidity in cats with diabetes mellitus. *Türkiye Klinikleri J Surg Med Sci* [31\(4\):816-22](#) (2011).

- **88-** Kara I, Nurten A, Aydın M, Özkök E, Ozen I, Özerman B, Tuna S, Karamürsel S.: Ischemia/reperfusion in rat: Antioxidative effects of enoant on EEG, oxidative stress and imflammation. *Brain Inj.* 25(1): 113-26, (2011).
- **87-** Bektaş M, Haciosmanoğlu E, Ozerman B, Varol B, Nurten R, Bermek E.: On diphtheria toxin fragment A release into the cytosol-Cytochalasin D effect and involvement of actin filaments and eukaryotic elongation factor 2. *Int J Biochem Cell Biol.*43(9): 1365-1372 (2011).
- **86-**Kuran MS,Yılmaz HB,Tuğcu T, Özerman B: Energy model for communication via diffusion in nanonetworks. *Nano Communication Networks*, 1(2): 86-95, (2010).
- **85-** Bayramoğlu, G, Kayaman-Apohan, N, Akçakaya, H, Vezir Kahraman, M, Erdem Kuruca, S, Güngör A.: Preparation of collagen modified photopolymers: a new type of biodegradable gel for cell growth. *J Mater Sci Mater Med.* 21(2):761-75 (2010).
- **84-** Tamer, SA, Cefle, K, Kaymaz AA, Albeniz, I.: Alterations in lymphocyte membrane protein content and increased lymphocyte rigidity in cats with diabetes mellitus. *J Physiol Sci.* 59: 505, Suppl.1, (2009).
- **83-** Nurten, A, Özerman, B, Özen, İ, Kara İ.: The role of solid food intake in antimuscarinic-induced convulsions in fasted mice. *Epilepsy & Behavior* 15: 142-145, (2009).
- **82-** Bektaş, M, Varol, B, Nurten, R, Bermek E.: Interaction of Diphtheria toxin (fragment A) with actin. *Cell Biochem Funct*, 27(7):430-439, (2009).
- **81-**Akdemir, ZS, Akcakaya, H, Kahraman, MV, Ceyhan, T , Kayaman-Apohan, N, Gungor, A.: Photopolymerized injectable RGD-modified fumarated poly(ethylene glycol) diglycidyl ether hydrogels for cell growth. *Macromolecular Bioscience*, 8(9): 852-862, (2008).
- **80-**Akçakaya, H, Aroyamak A , Gokce S.: A quantitative colorimetric method of measuring alkaline phosphatase activity in eukaryotic cell membranes. *Cell Biology International*, 31(2): 186-190,(2007).
- **79-** Akdemir, ZS, Apohan, NK, Kahraman, MV, Gungor, A, Akcakay H, Ceyhan, T.: Photocurable RGD-attached fumaric acid modified PEG-diglycidyl ether hydrogels for cell growth. *Drugs of the Future*, 32 (Suppl. A): 73-73, (2007).
- **78-**Ceyhan, T, Tatlier, M, Akçakaya, H.: In vitro evaluation of the use of zeolites as biomaterials: effects on simulated body fluid and two types of cells. *J Mater Sci.Mater Med*, 18(8) :1557-1562, (2007).
- **77-**Tamer, S, Ademoglu, E, Gokkusu C, Albeniz, I.: Effects of cyclosporine A on deformability and oxidative stress in the peripheral lymphocytes of rats. *Clin Hemorheol Microcirc*, 36(1):75-81 (2007).
- **76-**Ergen,K., Bektaş,M., Gökçe,S., Nurten,R.: Endogenous ADP-ribosylation of eukaryotic elongation factor 2 and its 32 kDa tryptic fragment. *Biocell*, 3(1): 61-66, (2007).
- **75-**Albeniz,I., Demir,Ö., Türker-Şener, I., Yalçintepe,L. Nurten,R., Bermek,E., : Erythrocyte CD38 as a prognostic marker in cancer.*Hematology*, 12(5): 409-414, (2007).
- **74-**Küçükkaya, B, Oztürk, G, Yalcintepe, L.: Nitric oxide levels during erythroid differentiation in K652 cell line. *Indian J Biochem Biophys*, (43), 251-253, (2006).
- **73-**Yalcinyepe, L, Frankel, AE, Hogge, DE.: Expression of interleukin-3 receptor subunits on defined subpopulations of acute myeloid leukemia blasts predicts the cytotoxicity of diphtheria toxin

interleukin-3 fusion protein against malignant progenitors that engraft in immunodeficient mice. *Blood*, (108), 3530-3537, (2006).

- **72**-Hogge, DE, Yalcintepe, L, Wong, SH, Gerhard, B, Frankel, AE.: Variant diphtheria toxin-interleukin-3 fusion proteins with increased receptor affinity have enhanced cytotoxicity against acute myeloid leukemia progenitors. *Clin Cancer Res*, (12) : 1284-1291, (2006).
- **71**-Bektaş,M., Nurten,R., Ergen,K., Bermek,E.: Endogenous ADP-ribosylation for eukaryotic elongation factor 2:evidence of two different sites and reactions.*Cell Biochem.Funct.* 24: 369-380 (2006).
- **70**-Yalcintepe L, Albeniz I, Adin-Cinar S, Tiryaki D, Bermek E, Graeff RM, Lee HC.: Nuclear CD38 in retinoic acid-induced HL-60 cells. *Exp Cell Res.* Feb 1;303(1):14-21.(2005).
- **69**-Yalcintepe, L, Turker-Sener, L, Sener, A, Yetkin, G, Tiryaki, D, Bermek E.: Changes in NAD/ADP-ribose metabolism in rectal cancer. *Braz J Med Biol Res*, (38) : 361-365, (2005).
- **68**-Kaymaz AA, Tamer S, Albeniz I, Cefle K, Palanduz S, Ozturk S, Salmayenli N.: Alterations in rheological properties and erythrocyte membrane proteins in cats with diabetes mellitus.*Clin Hemorheol Microcirc*, 33(2):81-8 (2005).
- **67**-Uzun, S., Gökçe, S., Wagner, K.: Cystic Fibrosis Transmembrane Conductance Regulator Gene Mutations in Infertile Males with Congenital Bilateral Absence of the Vas Deferens. *Tohoku J.Exp.Med.* 207: 279-285 (2005).
- **66**-Bektas, M., Akcakaya, H., Aroymak, A., Nurten, R., Bermak, E.: Effect of oxidative stress on in vivo ADP-ribosylation of eukaryotic elongation factor 2. *Int. J. Biochem. Cell. Biol.*, Jan; 37(1): 91-99 (2005).
- **65**-Ademoğlu,E., Tamer,Ş., Albeniz,I., Gökkuşu,C.: Cyclosporin A associated changes in red blood cell membrane composition deformability, blood and plasma viscosity in rats.*Acta Haematologica*, 112(4):184-188 (2004)
- **64**-Bektas,M., Guncer,B., Guven,C., Nurten,R., Bermek,E.: Actin—an inhibitor of eukaryotic elongation factor activities.*Biochem. Biophys. Res. Commun.*, May; 317(4): 1061-1066 (2004).
- **63**-Albeniz,I., Demir,Ö., Nurten,R., Bermek,E.: NAD Glycohydrolase and ADP-ribose uptake in erythrocytes from normal subjects and **cancer** patients. *Bioscience Reports*, Feb; 24(1): 41-53 (2004).
- **62**-Aydar,B., Bilir,B., Akcakaya,H., Ceyhan,T.: Effects of tricalcium phosphate bone graft materials on primary cultures of osteoblast cells in vitro. *Clin. Oral. Implants. Res.*, Feb; 15(1): 119-125 (2004).
- **61**-Yalcintepe,L., Ercelen,S., Adin-Cinar,S., Badur,S., Tiryaki,D., Bermek,E.: Hemin-dependent induction and internalization of CD38 in K562 cells. *J. Cell. Biochem.*, Oct ; 90(2): 379-386 (2003).
- **60**-Enginar,N, Yamanturk,P, Nurten,A, Nurten,R, Koyuncuoglu,H.: Scopolamine-induced convulsions in fasted mice after food intake: determination of **blood glucose** levels, [3H]glutamate binding kinetics and antidopaminergic drug effects. *Neuropharmacology*, Feb; 44(2): 199-205 (2003).
- **59**-Basalp,A., Cirakoglu,B., Bermek,E.: Enhancement of the **immune response** to **hepatitis B** virus vaccine by antigen specific IgM. *Immunol. Lett.*, Jul 3; 73(1): 1-6 (2000).

- **58**-Başalp,A., Mustafaeva,Z., Mustafaev,M., Bermek,E.: Immune response to 17beta-estradiol involved in polymer gels: antigen specificity and affinity of hybridoma clones. *Hybridoma*, Dec; 19(6): 495-499 (2000).
- **57**-Nurten,R., Üstündağ-Albeniz,I., and Bermek,E.: On the mode of inhibition of eukaryotic protein synthesis by ADP-ribosylation of elongation factor 2 *IUBMB Life*, Nov; 48 (5): 557-562 (1999).
- **56**-Koyuncuoğlu, H., Nurten, A., Yamantürk, P., Nurten, R.: The importance of the number of NMDA receptors in the development of supersensitivity or tolerance to and dependence on morphine. *Pharmacological Research*, 39 (4): 311-319 (1999).
- **55**-Korkut,C., Yalçintepe,L., Tiryaki,D., Bermek,E.: Serum proteins with NAD⁺ glycohydrolase activity and anti-CD38 reactivity-elevated levels in serum of tumor patients. *Cancer Letters*,126: 105-109 (1998).
- **54**-Bektaş,M., Nurten,R., Sayers,Z., Bermek,E.: Interactions of elongation factor 2 with cytoskeleton-Interference with DNAase 1 in binding to actin. *Eur. J. Biochem.*, Aug 15; 256 (1): 142-147 (1998).
- **53**-Aydiner,A., Rıdvanoğulları,M., Anıl,D., Topuz,E., Nurten,R., Dişçi,R.: Combined effects of epirubicin and tamoxifen on the cell-cycle phases in estrogen-receptor-negative Ehrlich ascites tumor cells. *J.Cancer.Res. Clin.Oncol.*, 123: 113-117 (1997).
- **52**-Üstündağ, I., Nurten, R. and Bermek, E.: Elevated Levels of ADP-ribosylation in neoplastic cases due to altered NAD/ADP-ribose metabolism. *Cancer Investigation*, 15: 217-223 (1997).
- **51**-Boulton,S., Kyle,S., Yalçintepe,L., Durkacz,B.W.: Wortmannin is a potent inhibitor of DNA double strand break but not single strand break repair in Chinese hamster ovary cells.*Carcinogenesis*,17(11): 2285-2290,(1996).
- **50**-Üstündağ-Albeniz,I., Nurten,R., Bermek,E.: ADP-ribosylation of serum proteins-Evaluation as a potential tumor marker. *Cancer Letters*, 108: 239-245 (1996).
- **49**-Mustafaev,M.I., Çirakoğlu,B., Saraç,S., Öztürk,S., Yücel,F., Bermek,E.: Soluble and insoluble ternary complex of serum proteins with polyanions in the presence of Cu²⁺ in water.*J.Apply.Polym.Sci*.62: 99-109(1996).
- **48**-Mustafaev,M.I., Osada,Y., Hirata,M., Başalp,A., Çirakoğlu,B., Bermek,E.: New amphiphilic immunogens by (poly(n-isopropylacrylamide)-modified bovine serum albumin. *Polymer Gels and Networks*, 4: 363-373 (1996).
- **47**-Mustafaev, MI, Yucel, F, Ozturk,S, Cirakoglu,B, Bermek, E.: Cu⁽²⁺⁾-mediated complex formation between polyacrylic acid (PAA) and bovine serum albumin. *J. Immunol. Methods*,. 197: 31-37 (1996).
- **46**-Başalp,A., Bermek,E., Çirakoğlu,B., Çoka,V.,Mustafaev,M.I., Saraç,A.: Immune response to 17-β-estradiol in polyelectrolyte complex. Antigen specificity and affinity of hybridoma clones, *Hybridoma*, 15: 233-236 (1996).
- **45**-Mustafaev.M., Yücel,F., Çirakoğlu,B. and Bermek,E.: Immune response to progesteron in Cu²⁺-mediated polyanion-protein complex. *Immunology Letters*, 52: 63-68 (1996).
- **44**-Gümüşel, F., Kiremit,N., Oğraş,T.T., İşsever,S., Bermek,E.: PCR-cloning of the pac gene from E.coli (ATCC 11105)-Observations on the expression of a recombinant periplasmic protein. *Biochem. Mol.Biol.International*, 38: 315-324 (1996).

- **43**-Yücel,F.Ş., Başalp,A., Çırakoğlu,B., Bermek,E.: Monoclonal Antibodies MAM-6F3 (Antixanhomonas campestris pv.phaseoli) "Hybridoma" , 14: 501-502 (1995).
- **42**-Dalioi,M.R.N., Moazami,N., Farhangi,S., Atalay,A., Geren,I.N., Akar,L., Atalay, E.O., Çırakoğlu,B., Bermek.E.: β -Thalassemia in Iran: A high incidence of the nonsense codon 39 mutation on the island of Queshm. Hemoglobin, 18: 449-453 (1994)
- **41**-Öztürk,S., Çırakoğlu,B., Bermek,E.: Monoclonal antibody MAM-TR-C-2 (anti-human) transferrin). Hybridoma, 13: 255-258 (1994).
- **40**-Bektaş,M., Nurten,R., Gürel,Z., Sayers, Z. and Bermek,E.: Interactions of elongation factor 2 with actin as a possible link between protein synthetic machinery and cytoskeleton, FEBS Letters , 356: 89-93 (1994).
- **39**-Nurten,R., Sayhan,N., Üstündağ,I. and Bermek,E.: Nonenzymic ADP-ribosylation of human serumproteins promoted by an endogenous glycohydrolase activity. Biochem.Biophys.Res.Comm., 200: 450-458 (1994).
- **38**-Erdoğan,G., Çırakoğlu,B., Bermek,E.:Partial characterization of an inhibitor of protein synthesis in rabbit reticulocytes-Its relationship to te oxydative stress activated inhibitor in rabbit reticulocytes . Biochem. Arch., 9: 83-90 (1993).
- **37**-Atalay,E., Çırakoğlu,B., Dinçol,G., Atalay,A., Kılınc,Y., Aytakin,H., Yüreğir,G., Arpacı,A., Bermek,E. and Aksoy,M.: Regional distribution of β -thalassemia mutations in Turkey, Int.J.Hematology, 57(1): 207-211 (1993).
- **36**-Yağcı,T., Akçakaya,H., Çırakoğlu,B., and Bermek,E.: Monoclonal antibody BF-1G-2 (Anti-human serum albumin). Monoclonal Antibodies, 10(4): 5-6 (1992).
- **35**-Öztürk,S., Çırakoğlu,B., and Bermek,E.: Monoclonal antibody MAM-2-3B-6 (Anti-human hemoglobin A). Monoclonal Antibodies, 10(2): 77-78 (1992).
- **34**-Walter,H., Gölge,M., Aksoy,M., Bermek,E., and Sivaslı,A.: Genetic serum protein markers (HP, GC,TF,PI) in four Turkish population samples. Int.J.Anthrop., 7: 27-32 (1992).
- **33**-Başalp,A., Şahingöz,F., Benlioğlu,K., Çırakoğlu,B., and Bermek,E.: Monoclonal Antibody MAM-3A-3 (Anti-Erwinia caratovora subs.atroseptica) Monoclonal Antibodies, 10(4):1-3 (1992).
- **32**-Çırakoğlu,B., Şahingöz, F., and Bermek,E.:Monoclonal antibodies tools in early detection of plant pathogens. In ASI Recent Advances in Industry. Applications of Biotechnology, pp 352-356 (1991).
- **31**-Şahingöz,F., Benlioğlu,K., Öktem,Y., Çırakoğlu,B., and Bermek,E.: Monoclonal antibody MAM-1F-10 anti-E.amylovora.Monoclonal Antibodies, 9: 43-45 (1991).
- **30**-Erarslan,A., Terzi,İ., Güray,A., and Bermek,E.: Purification and kinetics of penicillin G acylase from a mutant strain of Escherichia coli ATC 11105. J.Chem.Tech.Biotechnol., 51: 27-40 (1991).
- **29**-Atalay,E., Çırakoğlu,B., Erdoğan,G., Bermek,E., and Aksoy,M.: Prenatal diagnosis of a beta-globin gene IVS 1nt/110 mutation in chorionic villus from mosaic triple X mother with high HbA2. Prenatal Diagnosis, 10: 343-344 (1990).
- **28**-Altıok,S., and Bermek,E.: Effects of mitogenic agents upon glucocorticoid action human tonsillar T-lymphocytes. Bioscience Reports, 10: 69-72 (1990).
- **27**-Bilgin,N., Sayhan,O., and Bermek,E.: Binding of periodate oxidized guanine nucleotides to elongation factor 2. Biochim.Biophys.Acta, 1048: 217-222 (1990).

- **26**-Kırdar,B., Dalay,N., and Bermek,E.: Binding of protein uH2A and histone H2A to DNA. *Cell Biophysics*, 14: 43-51 (1989).
- **25**-Bermek,E.: Effect of oxygen tension on the protein synthesis in erythroid cells. In *Proceedings of the NATO Advanced Research Workshop on Molecular and Cellular Aspects of Erythropoiesis*, O.Rich (Ed.) Springer Verlag-Heidelberg, 51-67 (1987).
- **24**-Sayhan,O., Özdemirli,M., Nurten,R., and Bermek,E.: On the endogenous ADP-ribose transferase activity in elongation factor 2-fractions. *Biochem.Biophys.Res.Comm.*, 139: 1210-1214 (1986).
- **23**-Bermek,E., Nurten,R., Bilgin-Aktar,N., Odabaş,U., and Sayhan,O.: Guanine nucleotide binding to eukaryotic elongation factor 2. In "Mechanism of Protein Synthesis". Ed.E.Bermek, pp. 180-191. Springer Verlag, Berlin, Heidelberg, New York (1985).
- **22**-Kan,B., Kanigür,G., Tiryaki,D., Gökhan,N., and Bermek,E.: High pO₂-promoted activation of a translational inhibitor in rabbit reticulocytes. Role of the oxidation state of sulfhydryl groups. In "Mechanism of Protein Synthesis". Ed.E.Bermek, pp.170-177 Springer Verlag Berlin, Heidelberg, New York (1985).
- **21**-Dalay,N., Kırdar,B., and Bermek,E.: The effect of cycloheximide on nuclear uH2A content. *Experientia*, 40: 1398-1399 (1984).
- **20**-Dalay,N., Özkaymak,E., Kırdar,B., Çarın,M., and Bermek,E.: Isolation of protein uH2A using a one steep preparative gel elektroforesis. *Prep.Biochem.*, 14: 181-192 (1984).
- **19**-Kanigür,G., Kan,B., Tiryaki,D., and Bermek,E.: High pO₂-activated inhibitor of protein synthesis in rabbit reticulocytes.Its relationship to glutathione disulfide induced inhibitor and to a 23000 M_r-sulfhydryl protein;*Biochem.Biophys.Res.Comm.*, 117(1): 135-140 (1983).
- **18**-Şener,S., Sayhan,O., Bermek,E., and Aksoy,M.: Effect of transferrin absence on in vitro globin chain synthesis in reticulocytes of β-thalassemia patients.*Hemoglobin*, 7: 313-320 (1983).
- **17**-Nurten,R., Bilgin-Aktar,N., and Bermek, E.:Functional groups of elongation factor 2 involved in interactions with guanine nucleotides and ribosomes.*FEBS Letters*, 154,: 391-394 (1983).
- **16**-Almış-Kanigür,G., Kan,B., Kospaçalı,S. and Bermek,E.: A translational inhibitor activated in rabbit reticulocytes under high pO₂ *FEBS Letters*, 145: 143-146(1982).
- **15**-Gökçe,S., Kan,B., Kırdar,B., and Bermek, E.: High salt effect on RNA synthesis in Krebs ascites tumor cells. *Experientia*, 38: 666-667 (1982).
- **14**-Aksoy,M., Bermek,E., Almış,G., and Kutlar,A.: β-thalassemia intermedia homozygous for normal HbA₂-thalassemia. Study in four families. *Acta Haematol.*, 67: 57-61 (1982).
- **13**-Almış,G., Karaduman,B., Gökhan,N., and Bermek,E.: Activation of an inhibitor of protein synthesis in rabbit reticulocytes by high oxygen pressure. *IRCS (International Research Communication System) Biochemistry*, 9: 877-878 (1981).
- **12**-Bermek,E., and Nurten,R.: On the guanine nucleotide binding site of eukaryotic polypeptide chain elongation factor 2.*Period Biol.*, 82: 319-324 (1980).
- **11**-Nurten,R., and Bermek,E.:Interactions of elongation factor 2 (EF-2) with guanine nucleotides and ribosomes. Binding of periodate–oxidized guanine nucleotides to EF-2. *Eur.Biochem.*, 103: 551-555 (1980).

- **10**-Leer, J.C., Tiryaki,D., and Westergaard,O.: Termination of transcription in nuclei isolated from Tetrahymena, Proc.Natl. Sci.USA, 76: 5563-5566 (1979).
- **9**-Bermek,E., Aksoy,M., Almiş,G., and Kutlar,A.: Further data on one of the first examples of sickle-cell α -thalassemia disease.Hemoglobin, 6: 471-474 (1979).
- **8**-Aksoy,M., Almiş,G., and Bermek,E.: Globin chain synthesis in β -thalassemia with normal hemoglobins A₂ and F.Hemoglobin, 3: 263-270 (1979).
- **7**-Sundaram,P.V., and Bermek,E.: Preparation and properties of immobilized diphtheria toxin. J.Solid Phase Biochem., 3: 263-269 (1978).
- **6**-Bermek,E.: Mechanism in polypeptide chain elongation on ribosomes. Prog.Nucl.Acid.Res. Mol.Biol., 21: 63-100 (1978).
- **5**-Robertson,M.C., and Bermek,E.: Studies of protein synthetic activity of lysates from HeLa cells incubated in hypertonic medium. Biochim.Biophys.Acta, 476: 88-95 (1977).
- **4**-Bermek,E.: Interactions of adenosine diphosphate ribosylated elongation factor 2 with ribosomes. J.Biol.Chem., 251: 6544-6539 (1976).
- **3**-Tiryaki,D., and Bermek,E.: On the mode of action of eukaryotic initiation factor 1.Hoppe Seylers Z.Physiol.Chem., 357: 721-726 (1976).
- **2**-Tiryaki,D., Üçer,U., and Bermek,E.: The effect of sulfhydryl reagents upon the activity of 40S ribosomal subunits. Experientia, 32: 1270-1274 (1976).
- **1**- Gökhan, N., Gökçe, S.: Influence of hypercapnia on intraocular pressure in rabbits. Exp.Eye Res. 21: 71-78 (1975)